

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/EP05/002472

International filing date: 04 March 2005 (04.03.2005)

Document type: Certified copy of priority document

Document details: Country/Office: GB
Number: 0407368.0
Filing date: 31 March 2004 (31.03.2004)

Date of receipt at the International Bureau: 14 April 2005 (14.04.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



EP05/2472 INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

EP05/2472

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.


In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 3 March 2005



1
2

3
4



5
6

THE PATENT OFFICE
A

31 MAR 2004

The
**Patent
Office**01APR04 0805581-0 001038
P01/7700 0.00-0407368.0 CHEQUE**Request for grant of a patent***(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)*

The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference

P514423GB/DCJ/P51775/000

2. Patent application number

(The Patent Office will fill in this part)

0407368.0

31 MAR 2004

3. Full name, address and postcode of the or of
each applicant *(underline all surnames)*Imperial Chemical Industries plc.
20 Manchester Square
London
W1U 3AN
United KingdomPatents ADP number *(if you know it)*

935006

If the applicant is a corporate body, give the
country/state of its incorporation

4. Title of the invention

Container and closure Arrangement

5. Name of your agent *(if you have one)*"Address for service" in the United Kingdom
to which all correspondence should be sent
*(including the postcode)*WITHERS & ROGERS
Goldings House
2 Hays Lane
London
SE1 2HWPatents ADP number *(if you know it)*

1776001 ✓

6. If you are declaring priority from one or more
earlier patent applications, give the country and
the date of filing of the or each of these earlier
applications and *(if you know it)* the or each
application number

Country

Priority application number
*(if you know it)*Date of filing
*(day / month / year)*7. If this application is divided or otherwise
derived from an earlier UK application, give
the number and the filing date of the earlier
application

Number of earlier application

Date of filing
*(day / month / year)*8. Is a statement of inventorship and of right
to grant of a patent required in support of
this request? *(Answer 'Yes' if:*

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body.

See note (d))

YES

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 4
Claim(s) 1
Abstract 0
Drawing (s) 1 + 1

10. If you are also filing any of the following, state how many against each item.

Priority documents -
Translations of priority documents -
Statement of inventorship and right to grant of a patent (Patents Form 7/77) -
Request for preliminary examination and search (Patents Form 9/77) -
Request for substantive examination (Patents Form 10/77) -
Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature

Date

Withers & Rogers

WITHERS & ROGERS

31st March 2004

12. Name and daytime telephone number of person to contact in the United Kingdom

D Colin Jones

+44 (0)20 7663 3500

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least six weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500 505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

Container and Closure Arrangement

This invention relates to a container and closure arrangement. The invention finds particular, though not exclusive, application to closing a container of liquid, for
5 example paint.

Can of paint, for example, are often simply closed with a lid that has an outwardly-directed rim that is press-fitted into the top of the container. Removal of the lid may be made by means of insertion of the blade of the screw driver and twisting to prise off the
10 lid. The lid can subsequently be replaced to re-close the container, but usually the mating surfaces of the lid and container become damaged, and can become coated with dried contents of the container, with the result that a significant effort has to be exerted to re-close the container, and even then a seal may not be effected, which can cause spillage and / or deterioration of the contents.

15 An improved form of closure for such a container is known, in which an outwardly-directed projection is provided on the outer surface of the container just below the rim of its open end. The lid is provided with a flat surface to close and seal down onto the container rim, and has a skirt that extends down and around the
20 projection, with an inwardly-directed projection to engage beneath the projection of the container, thereby to secure the lid in position. The skirt is flexible so that it can be prised outwards and upwards, usually by hand, to release the inter-engaging projections, thereby to allow the can to be opened. Such an arrangement can be conveniently re-sealed. However, with this arrangement it can be very difficult to deflect the annular
25 skirt to open the container.

In accordance with the present invention, there is provided an arrangement comprising an open-ended container and closure therefor, wherein the container comprises at least one projection extending at least partially around its outer surface adjacent the rim of its
30 open, upper end, and wherein the closure comprises a cover for extending over the open upper end and a skirt depending therefrom, an annular channel being formed between

the cover and an upper portion of the skirt for receiving the rim and the projection of the container, wherein the skirt is divided into said upper and a lower portion by at least one inwardly-directed projection that extends therearound partway along its depth, whereby the lower portion of the skirt may be flipped between a raised configuration for mounting and removal of the cover on the container and a lowered configuration in which its projection engages beneath the projection of the container thereby to retain the cover on the container, and wherein the lower portion of the skirt is divided into at least two discrete peripheral sections that may be flipped between the raised and lowered configurations independently of each other.

10

By dividing the skirt of the closure of the arrangement of the present invention into a plurality of discrete sections, of which there may be three or four or more, it has been found to be much simpler to release the inter-engaging projections, which can be done section-by-section.

15

The discrete peripheral sections of the skirt may conveniently be formed by slitting a continuous skirt portion.

20

Although the container may be of generally cylindrical configuration, the cover then being of generally circular configuration, it is envisaged that the arrangement of the invention may be applied to other configurations.

25

Advantageously, the arrangement is made of plastics material, although the various components need not be made from the same composition.

30

An arrangement comprising an open ended container and closure therefor, will now be described, by way of example, with reference to the accompanying drawings, in which: Figure 1 is a vertical section through part of the arrangement, prior to fitting the closure onto the container;

Figure 2 is a section corresponding to Figure 1, with the closure mounted on the container and locked thereon; and

Figure 3 is a top plan view of the closure of Figure 1.

Referring to the Figures, a generally cylindrical plastics paint container 2 has an annular rim 4 at its open end. Adjacent the rim 4 on the outer surface of the container 2, a projection 6 extends continuously therearound, and is directed outwardly and then downwardly to a free end 8.

5

A cover 10 is of generally circular shape having a planar surface 12 that sits as a push fit within the rim 4 of the container 2. Beyond the surface 12, the cover 10 has an annular channel 14 of width sufficient to engage the radial extent of the rim 4 and the projection 6 of the container. The outer wall of the channel 14 is defined by a skirt 16 that has a relatively rigid upper portion 18 and a relatively flexible lower portion 20, the portions 18 and 20 being demarcated by an inwardly-directed projection 22.

As shown seen in Figure 1, the cover 10 is in its open configuration, with the lower portion 20 of the skirt 16 flipped upwardly to allow the cover 10 to be mounted down over the top of the container 2.

Figure 2 shows the arrangement with the cover 10 fitted onto the container 2, with the lower portion 20 of the skirt 16 having being flipped downwardly after the rim 4 and projection 6 have been enclosed within the channel 14, thus disposing the skirt projection 22 beneath and in engagement with the free end 8 of the container projection 6. In this way, the cover 10 is securely mounted on the container 2, and the contents thereof are sealed inside by abutment of the rim 4 with the wall of the channel 14.

As can be seen in Figure 3, the lower portion 20 of the cover skirt 16 does not extend continuously all the way around, but rather is divided into three discrete sections that have been formed by making slits 24 therein. It will be appreciated that the slits 24, although shown as being of generally V-shape, may be of other shape, for example providing a castellated configuration.

With the arrangement in the closed and sealed state indicated in Figure 2, the container may conveniently be opened by flipping up one section of the skirt 20 at a time to the configuration shown in Figure 1. It will be appreciated that each configuration of the

skirt 16, that is to say as shown in Figure 1 and in Figure 2, is a stable configuration, allowing repeated opening and closing of the cover 10 and the container 2.

Claims

1. An arrangement comprising an open-ended container and closure therefor, wherein the container comprises at least one projection extending at least partially around its outer surface adjacent the rim of its open, upper end, and wherein the closure comprises a cover for extending over the open upper end and a skirt depending therefrom, an annular channel being formed between the cover and an upper portion of the skirt for receiving the rim and the projection of the container, wherein the skirt is divided into said upper and a lower portion by at least one inwardly-directed projection that extends therearound partway along its depth, whereby the lower portion of the skirt may be flipped between a raised configuration for mounting and removal of the cover on the container and a lowered configuration in which its projection engages beneath the projection of the container thereby to retain the cover on the container, and wherein the lower portion of the skirt is divided into at least two discrete peripheral sections that may be flipped between the raised and lowered configurations independently of each other.

2. An arrangement according to claim 1, wherein the discrete peripheral sections of the skirt are formed by slits in a continuous skirt portion.

3. An arrangement according to claim 1 or claim 2, wherein the container is of generally cylindrical configuration and the cover is of generally circular configuration.

4. An arrangement according to any one of the preceding claims, made of plastics material.

5. A container and closure arrangement substantially as hereinbefore described with reference to the accompanying drawings.






Fig 1




Fig 2




Fig 3

